



2100 Pennsylvania Avenue, NW  
Washington, DC 20037-3213

T 202.293.7060  
F 202.293.7860

www.sughrue.com

December 4, 2003


**MAIL STOP PATENT APPLICATION**

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Re: Application of LUMELLO, Carlo  
A REGULATOR VALVE WITH FLOW INDICATOR  
FOR A HOT-WATER HEATING SYSTEM  
**Assignee: ONDA ENGINEERING SYSTEM S.R.L.**  
Our Ref. Q78695



Dear Sir:

Attached hereto is the application identified above comprising 10 sheets of the specification, including the claims and abstract, 2 sheets of drawings, a copy of an executed Assignment and PTO 1595 form, and a copy of an executed Declaration and Power of Attorney. Also enclosed is the Small Entity Declaration.

Applicant claims benefit of small entity status in accordance with 37 CFR § 1.27.

The Government filing fee is calculated as follows (**Small Entity fees apply**):

Total claims	9	-	20	=		x	\$9.00	=	\$0.00
Independent claims	1	-	3	=		x	\$43.00	=	\$0.00
Base Fee									\$385.00

<b>TOTAL FILING FEE</b>	<b>\$385.00</b>
Recordation of Assignment	\$40.00
<b>TOTAL FEE</b>	<b>\$425.00</b>

Checks for the statutory filing fee of \$385.00 and Assignment recordation fee of \$40.00 are attached. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A duplicate copy of this transmittal letter is attached.

Priority is claimed from:

<u>Country</u>	<u>Application No</u>	<u>Filing Date</u>
Italy	TO2002A001060	December 4, 2002



**Sughrue**

SUGHRUE MION, PLLC

**MAIL STOP PATENT APPLICATION**

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

**Q78695**

The priority document is enclosed herewith.

Respectfully submitted,  
SUGHRUE MION, PLLC

Attorneys for Applicant

By:

Robert V. Sloan

Registration No. 22,775

SUGHRUE MION, PLLC

Telephone: (202) 293-7060

Facsimile: (202) 293-7860

WASHINGTON OFFICE

**23373**

CUSTOMER NUMBER